ELSEVIER

Neuroscience Letters 258 (1998) 191–193

Neuroscience Letters

Author Index to Volume 258

Abe, H., Honma, S., Namihira, M., Tanahashi, Y., Ikeda, M., Honma, K.-i., Circadian rhythm and light responsiveness of *BMAL1* expression, a partner of mammalian clock gene *Clock*, in the suprachiasmatic nucleus of rats, 93
Ai, H., Okada, K., Hill, E.S., Kanzaki, R., Spatio-temporal activities in the antennal lobe analyzed by an optical recording method in the male silkworm moth *Bombyx mori*, 135
Akiyama, H., see Ikeda, K., 113
Akiyama, H., see Iseki, E., 81
Alho, K., Connolly, J.F., Cheour, M., Lehtokoski, A., Huotilainen, M., Virtanen, J., Aulanko, R., Ilmoniemi, R.J., Hemispheric lateralization in preattentive processing of speech sounds, 9
Allen, D.D., see Metting, T.L., 25
Alvarez, J., see Benavides, E., 77
Arai, T., see Ikeda, K., 113
Artiga, M.J., see Roks, G., 65
Asakura, K., Suzumura, A., Rodriguez, M., Sawada, M., Differentiation-specific mRNA expression of a mouse bipotential glial cell line, 21
Atobe, Y., see Funakoshi, K., 171
Atsumi, Y., see Nakakura-Ohshima, K., 163
Aulanko, R., see Alho, K., 9

Backhovens, H., see Roks, G., 65
Beach, J.W., see Metting, T.L., 25
Benavides, E., Alvarez, J., Peripheral axons of Wld^s mice, which regenerate after a delay of several weeks, do so readily when transcription is inhibited in the distal stump, 77
Berger, R.J., see Mintz, E.M., 61
Best, J.A., Tank, A.W., The THCRE2 site in the rat tyrosine hydroxylase gene promoter is responsive to phorbol ester, 131
Brainard, G.C., see Zhang, Y., 167
Bredt, D.S., see Perez, A.S., 121
Bullido, M.J., see Roks, G., 65
Burgio, D.E., see Metting, T.L., 25

Chabret, C., see Vigues, S., 37
Chen, K., see Ekblom, J., 101
Cheour, M., see Alho, K., 9
Chhatwal, J.P., see Jentsch, J.D., 175
Connolly, J.F., see Alho, K., 9
Contestabile, A., see Virgili, M., 1
Cruts, M., see Roks, G., 65

Dall'Olio, R., see Virgili, M., 1
Damberg, M., see Ekblom, J., 101
Dazzi, L., see Jentsch, J.D., 175
De Lima, T.C.M., see Ribeiro, S.J., 155
Donnerer, J., see Šinský, M., 109
Dörner, G., see Plagemann, A., 13
Dudkin, E.A., Myers, P.Z., Ramirez-Latorre, J.A., Gruberg, E.R., Calcium signals monitored from leopard frog optic tectum after the optic nerve has been selectively loaded with calcium sensitive dye, 124

Ekblom, J., Garpenstrand, H., Damberg, M., Chen, K., Shih, J.C., Oreland, L., Transcription factor binding to the core promoter of the human monoamine oxidase B gene in the cerebral cortex and in blood cells, 101
Emmerich, E., see Rosburg, T., 105
Ezure, K., Tanaka, I., Miyazaki, M., Inspiratory inhibition of pulmonary rapidly adapting receptor relay neurons in the rat, 49

Facchinetti, F., see Virgili, M., 1
Farhan Asad, S., see Singh, S., 69
Flores-Hernandez, J. see Vysokanov, A., 179
Fukuda, H., see Furukawa, N., 53
Funakoshi, K., Kadota, T., Atobe, Y., Nakano, M., Goris, R.C., Kishida, R., Gastrin/CCK-ergic innervation of cutaneous mucous gland by the supramedullary cells of the puffer fish *Takifugu niphobles*, 171
Furukawa, N., Hatano, M., Fukuda, H., Koga, T., Non-*N*-methyl-D-aspartate receptors may mediate the transmission of emetic signals between visceral vagal afferents and the solitary nucleus in dogs, 53

Gandolfi, O., see Virgili, M., 1
Garpenstrand, H., see Ekblom, J., 101
Gerding, H., see Lerchl, A., 187
Gomez, M.V., see Mesquita, F., Jr., 57
Gomez, R.S., see Mesquita, F., Jr., 57
Goris, R.C., see Funakoshi, K., 171
Gruberg, E.R., see Dudkin, E.A., 124

Hadi, S.M., see Singh, S., 69
Haga, C., see Ikeda, K., 113
Hara, M., see Zeng, X.-T., 85
Harder, T., see Plagemann, A., 13
Harvey, D.C., see Melega, W.P., 17
Hashimoto, K., see Niijima, A., 5
Hatano, M., see Furukawa, N., 53
Hattori, N., see Zeng, X.-T., 85
Hayashi, S., see Nakakura-Ohshima, K., 163
Heinke, A., see Reuss, B., 45
Higashida, T., see Zeng, X.-T., 85
Hill, E.S., see Ai, H., 135
Hofman, A., see Roks, G., 65
Honma, K.-i., see Abe, H., 93
Honma, S., see Abe, H., 93
Hori, K., see Izaki, Y., 33

PII S0304-3940(98)00930-6

Huang, S.C., see Melega, W.P., 17
Huotilainen, M., see Alho, K., 9

Ichikawa, H., see Sugimoto, T., 97
Ikata, T., see Xia, H., 151
Ikeda, K., Akiyama, H., Arai, T., Kondo, H., Haga, C., Iritani, S., Tsuchiya, K., Alz-50/Gallyas-positive lysosome-like intraneuronal granules in Alzheimer's disease and control brains, 113
Ikeda, M., see Abe, H., 93
Ilmoniemi, R.J., see Alho, K., 9
Imaizumi, M., Oguma, Y., Kawatani, M., Optical imaging of the spontaneous neuronal activities in the male rat major pelvic ganglion following denervation of the pelvic nerve, 159
Inagaki, C., see Zeng, X.-T., 85
Iritani, S., see Ikeda, K., 113
Iseki, E., Marui, W., Kosaka, K., Akiyama, H., Kendi, U., Iwatsubo, T., Degenerative terminals of the perforant pathway are human α-synuclein-immunoreactive in the hippocampus of patients with diffuse Lewy body disease, 81
Isokawa, M., Remodeling dendritic spines in the rat pilocarpine model of temporal lobe epilepsy 73
Iwatsubo, T., see Iseki, E., 81
Izaki, Y., Hori, K., Nomura, M., Dopamine and acetylcholine elevation on lever-press acquisition in rat prefrontal cortex, 33

Jansen-Olesen, I., see Sams, A., 41
Jentsch, J.D., Dazzi, L., Chhatwal, J.P., Verrico, C.D., Roth, R.H., Reduced prefrontal cortical dopamine, but not acetylcholine, release in vivo after repeated, intermittent phencyclidine administration to rats, 175
Jobe, P.C., see Yan, Q.S., 29

Kaczmarek, L.K., see Whim, M.D., 143
Kadota, T., see Funakoshi, K., 171
Kakiuchi, T., see Tsujimoto, T., 117
Kanzaki, R., see Ai, H., 135
Kato, F., Suppression of inspiratory fast rhythm, but not bilateral short-term synchronization, by morphine in anesthetized rabbit, 89
Katoh, S., see Xia, H., 151
Kawai, T., see Xia, H., 151
Kawatani, M., see Imaizumi, M., 159
Kendi U., see Iseki, E., 81
Kishi, K., see Xia, H., 151
Kishida, R., see Funakoshi, K., 171
Kitagawa, K., see Zeng, X.-T., 85
Koga, T., see Furukawa, N., 53
Kohring, K., Zimmermann, H., Upregulation of ecto-5′-nucleotidase in human neuroblastoma SH-SY5Y cells on differentiation by retinoic acid or phorbolester, 127
Komatsu, Y., see Niijima, A., 5
Kondo, H., see Ikeda, K., 113
Korf, J., see Stevens, H., 183
Kosaka, K., see Iseki, E., 81
Kreitschmann-Andermahr, I., see Rosburg, T., 105
Krop-van Gastel, W., see Stevens, H., 183
Kubo, M., see Niijima, A., 5

Lacan, G., see Melega, W.P., 17
Lehtokoski, A., see Alho, K., 9
Lerchl, A., Nordhoff, V., Gerding, H., Expression of the gene for the retinal protein peripherin in the pineal gland of humans and Djungarian hamsters (*Phodopus sungorus*), 187
Lucchi, R., see Virgili, M., 1
Maeda, T., see Nakakura-Ohshima, K., 163
Marui, W., see Iseki, E., 81
Maruno, M., see Niijima, A., 5
McCurdy, C.R., see Metting, T.L., 25
Melchior, K., see Plagemann, A., 13
Melega, W.P. Lacan, G. Harvey, D.C. Huang, S.C. Phelps, M.E.Dizocilpine and reduced body temperature do not prevent methamphetamine-induced neurotoxicity in the vervet monkey: [^{11}C]WIN 35,428 - positron emission tomography studies, 17
Mesquita, F., Jr., Prado, M.A.M., Gomez, R.S., Romano-Silva, M.A., Gomez, M.V., The effect of calcium channels blockers in the K^+-evoked release of [^{3}H]adenine nucleotides from rat brain cortical synaptosomes, 57
Metting, T.L., Burgio, D.E., Terry, A.V., Beach, J.W., McCurdy, C.R., Allen, D.D., Inhibition of brain choline uptake by isoarecolone and lobeline derivatives: implications for potential vector-mediated brain drug delivery, 25
Mintz, E.M., Phillips, N.H., Berger, R.J., Daytime melatonin infusions induce sleep in pigeons without altering subsequent amounts of nocturnal sleep, 61
Miyazaki, M., see Ezure, K., 49
Molloy, G.Y., Rattray, M., Williams, R.J., Genes encoding multiple forms of phospholipase A_2 are expressed in rat brain, 139
Myers, P.Z., see Dudkin, E.A., 124

Nakakura-Ohshima, K., Hayashi, S., Atsumi, Y., Wakisaka, S., Nozawa-Inoue, K., Maeda, T., Immunocytochemical detection of S-100β in the periodontal Ruffini endings in the rat incisor, 163
Nakano, M., see Funakoshi, K., 171
Namihira, M., see Abe, H., 93
Niijima, A., Kubo, M., Hashimoto, K., Komatsu, Y., Maruno, M., Okada, M., Effect of oral administration of *Pinellia ternata*, *Zingiberis rhizoma* and their mixture on the efferent activity of the gastric branch of the vagus nerve in the rat, 5
Nomura, M., see Izaki, Y., 33
Nordhoff, V., see Lerchl, A., 187
Nowak, H., see Rosburg, T., 105
Nozawa-Inoue, K., see Nakakura-Ohshima, K., 163

Ogawa, M., see Tsujimoto, T., 117
Oguma, Y., see Imaizumi, M., 159
Okada, K., see Ai, H., 135
Okada, M., see Niijima, A., 5
Omori, K., see Zeng, X.-T., 85
Oreland, L., see Ekblom, J., 101

Perez, A.S., Bredt, D.S., The N-terminal PDZ-containing region of post-synaptic density-95 mediates association with caveolar-like lipid domains, 121
Phelps, M.E., see Melega, W.P., 17
Phillips, N.H., see Mintz, E.M., 61
Pinto, L.H., see Zhang, Y., 167
Plagemann, A., Rake, A., Harder, T., Melchior, K., Rohde, W., Dörner, G., Reduction of cholecystokinin-8S-neurons in the paraventricular hypothalamic nucleus of neonatally overfed weanling rats, 13

Prado, M.A.M., see Mesquita, F., Jr., 57

Rake, A., see Plagemann, A., 13
Ramirez-Latorre, J.A., see Dudkin, E.A., 124
Rattray, M., see Molloy, G.Y., 139
Reith, M.E.A., see Yan, Q.S., 29
Reuss, B., Heinke, A., Unsicker, K., Gap junction uncoupling of neonatal rat astroglial cultures does not affect their expression of fibroblast growth factor 2, 45
Ribeiro, S.J., De Lima, T.C.M., Naloxone-induced changes in tachykinin NK_3 receptor modulation of experimental anxiety in mice, 155
Ribot-Ciscar, E., Rossi-Durand, C., Roll, J.-P., Muscle spindle activity following muscle tendon vibration in man, 147
Rodriguez, M., see Asakura, K., 21
Rohde, W., see Plagemann, A., 13
Roks, G., Cruts, M., Bullido, M.J., Backhovens, H., Artiga, M.J., Hofman, A., Valdivieso, F., Van Broeckhoven, C., Van Duijn, C.M., The − 491 A/T polymorphism in the regulatory region of the Apolipoprotein E gene and early-onset Alzheimer's disease, 65
Rokutan, K., see Xia, H., 151
Roll, J.-P., see Ribot-Ciscar, E., 147
Romano-Silva, M.A., see Mesquita, F., Jr., 57
Rosburg, T., Kreitschmann-Andermahr, I., Emmerich, E., Nowak, H., Sauer, H., Hemispheric differences in frequency dependent dipole orientation of the human auditory evoked field component N100m, 105
Rossi-Durand, C., see Ribot-Ciscar, E., 147
Roth, R.H., see Jentsch, J.D., 175

Saito, S.-i., see Xia, H., 151
Sams, A., Jansen-Olesen, I., Expression of calcitonin receptor-like receptor and receptor-activity-modifying proteins in human cranial arteries, 41
Sasaki, K., see Tsujimoto, T., 117
Sauer, H., see Rosburg, T., 105
Sawada, M., see Asakura, K., 21
Shih, J.C., see Ekblom, J., 101
Singh, S., Farhan Asad, S., Hadi, S.M., Uric acid inhibits L-DOPA-CU(II) mediated DNA cleavage, 69
Šinský, M., Donnerer, J., Evidence for a neurotransmitter role of glutamate in guinea pig myenteric plexus neurons, 109
Sparapani, M., see Virgili, M., 1
Stevens, H., Krop-van Gastel, W., Korf, J., ^{60}Co and ^{45}Ca autoradiography in cerebral ischemia in the rat, 183
Sugimoto, T., Xiao, C., Ichikawa, H., Postnatal changes in Bax-immunoreactivity and apoptosis of the rat trigeminal primary neurons, 97
Surmeier, D.J., see Vysokanov, A., 179
Suzumura, A., see Asakura, K., 21

Takahashi, J.S., see Zhang, Y., 167
Tanahashi, Y., see Abe, H., 93
Tanaka, I., see Ezure, K., 49
Tank, A.W., see Best, J.A., 131
Terry, A.V., see Metting, T.L., 25
Tregnago, M., see Virgili, M., 1
Tsuchiya, K., see Ikeda, K., 113
Tsujimoto, T., Ogawa, M., Tsukada, H., Kakiuchi, T., Sasaki, K., Activation of the ventral and mesial frontal cortex of the monkey by self-initiated movement tasks as revealed by positron emission tomography, 117
Tsukada, H., see Tsujimoto, T., 117
Turek, F.W., see Zhang, Y., 167

Unsicker, K., see Reuss, B., 45

Valdivieso, F., see Roks, G., 65
Valentin, S., see Vigues, S., 37
Valmier, J., see Vigues, S., 37
Van Broeckhoven, C., see Roks, G., 65
Van Duijn, C.M., see Roks, G., 65
Verrico, C.D., see Jentsch, J.D., 175
Vigues, S., Chabret, C., Valentin, S., Valmier, J., Rat embryonic hippocampal neurons express a new class A calcium channel variant, 37
Virgili, M., Facchinetti, F., Sparapani, M., Tregnago, M., Lucchi, R., Dall'Olio, R., Gandolfi, O., Contestabile, A., Neuronal nitric oxide synthase is permanently decreased in the cerebellum of rats subjected to chronic neonatal blockade of *N*-methyl-D-aspartate receptors, 1
Virtanen, J., see Alho, K., 9
Vysokanov, A., Flores-Hernandez, J., Surmeier, D.J., mRNAs for clozapine-sensitive receptors co-localize in rat prefrontal cortex neurons, 179

Wakisaka, S., see Nakakura-Ohshima, K., 163
Whim, M.D., Kaczmarek, L.K., Expression of a foreign G-protein coupled receptor modulates the excitability of the peptidergic bag cell neurons of *Aplysia*, 143
Williams, R.J., see Molloy, G.Y., 139

Xia, H., Ikata, T., Katoh, S., Rokutan, K., Saito, S-i., Kawai, T., Kishi, K., Whole body hyperthermia selectively induces heat shock protein 72 in neurons of the rat spinal cord, 151
Xiao, C., see Sugimoto, T., 97

Yan, Q.S., Reith, M.E.A., Yan, S.G., Jobe, P.C., Effect of systemic ethanol on basal and stimulated glutamate releases in the nucleus accumbens of freely moving Sprague–Dawley rats: a microdialysis study, 29
Yan, S.G., see Yan, Q.S., 29

Zee, P.C., see Zhang, Y., 167
Zeng, X.-T., Higashida, T., Hara, M., Hattori, N., Kitagawa, K., Omori, K., Inagaki, C., Antiserum against Cl^- pump complex recognizes 51 kDa protein, a possible catalytic unit in the rat brain, 85
Zhang, Y., Brainard, G.C., Zee, P.C., Pinto, L.H., Takahashi, J.S., Turek, F.W., Effects of aging on lens transmittance and retinal input to the suprachiasmatic nucleus in golden hamsters, 167
Zimmermann, H., see Kohring, K., 127